

FORT KNOX

SAFES ✦ VAULTS



BUYING GUIDE | CATALOG | 2024

OUR STORY



Fort Knox was founded in 1982 by Tom James, with a mission to protect firearms from unwanted hands. To this day, we remain family owned and operated, expanding our commitment to safeguard not just firearms, but also cherished memories, heirlooms, and valuables. This journey has solidified our position as the gold standard in security, with a dedication to American quality, ingenuity, and integrity. Today, over four decades later, our unwavering commitment to protecting your legacy echoes the enduring spirit of our founder and the principles that have guided us from the beginning.

TABLE OF CONTENTS

BUYING GUIDE

SIZE OPTIONS	4
BODY STEEL THICKNESS	6
DOOR STEEL THICKNESS	7
FIRE PROTECTION	8
UPGRADES	11
EXTERIOR COLOR	12
LOCKS & GRAPHICS	13
INTERIORS	14
ACCESSORIES	16
SECURITY BOXES	17

PRODUCT CATALOG

COMPARISON TABLE	20
SPARTAN & MAVERICK	22
DEFENDER & PROTECTOR	23
EXECUTIVE & GUARDIAN	24
TITAN & LEGEND	25
HOME SAFES	26
VAULT DOORS	26
VAULT DOOR FAQ'S	27



01. SIZE OPTIONS

Consider the following questions to ensure you get the most out of your Fort Knox Safe



How Do I Choose the Right Size?

Evaluate the size, shape, volume, and nature of your valuables, as these factors will significantly influence the size and interior configuration of your safe. Consider the number of firearms you own and anticipate the future growth of your collection by selecting a safe larger than your current needs. This will ensure space for your expanding collection.

Fort Knox provides multiple interior configurations, including jewelry cabinets, offering versatile options to organize and preserve your distinctive collection effectively. See Interior Configurations on pg. 14

Where Will The Safe Be Installed?

Measure your intended destination to ensure you purchase the correct size. All Fort Knox safes have an overall depth of 29" or less, so the safe will fit through the average door frame. Consider left vs. right swing and internal vs. external hinges. We recommend anchoring your safe down for added safety and security.

What Are the Limitations on Delivery?


Limitations such as ceiling height, stairs, turns, landings, and the size/weight of the safe can make some installations difficult. If you have any questions about delivery or install, please contact Fort Knox.



Titan - 7241 - Crane Hinge

Garage by Baldhead Cabinets

SIZE COMPARISON



* MAVERICK EXCLUSIVE SIZE

02. BODY STEEL THICKNESS

100% of Fort Knox Products are Proudly Manufactured in the USA, with Thick American Steel

What Makes The Construction Of Fort Knox Safes Different?

Fort Knox safes and vaults begin as thick sheets of metal that are machine folded to minimize joints; then, the remaining seams are welded both internally and externally for 100% penetration, creating a seamless, durable, solid steel enclosure.

What is Overall Steel Body Thickness?

The combined thickness of the outer steel body and the inner steel liners determine a safe's overall body thickness. For example, the Titan consists of a 3/16" steel body and a 3/16" ArmaKnox AR500 Package

resulting in a combined thickness of 3/8". Refer to the chart below for a comprehensive breakdown of the overall steel body thickness in our safes.


Can I Upgrade My Steel Thickness?

Upgrade your security by adding additional layers of torch-resistant Stainless Steel, cut and drill resistant ArmaKnox AR500 Steel, or multiple layers of Carbon Steel to the interior. Add up to a total of 4 additional steel liners, increasing the overall body thickness creating a safe within a safe.

Upgrade details available on page 11.

MODEL:	SPARTAN	MAVERICK	DEFENDER	PROTECTOR	EXECUTIVE	GUARDIAN	TITAN	LEGEND	HOME SAFE	VAULT DOOR IN-SWING FRAME	VAULT DOOR OUT-SWING FRAME
INNER LINER & BODY STEEL							AR500	STAINLESS AR500			
OVERALL STEEL BODY THICKNESS	3/16"	10 GA	10 GA	3/16"	1/4"	5/16"	3/8"	1/2"	3/16"	3/16"	3/16"

03. DOOR STEEL THICKNESS



What Is Door Edge Thickness?

Door Edge Thickness is found by combining the security door plate(s) thickness with the thickness of the door jacket.

What is a Hard Plate?

The **Hard Plate or Mounting Plate** is a reinforced, hardened steel plate that protects your lock and Relocker from cutting and drilling attacks.

What Are Multiple Relockers?

Multiple Relockers are a defensive mechanism that will activate if an intruder attempts to cut the door, rendering it inoperable and keeping intruders out.

Why Is The Security Plate Important?

The security plate, or door plate, is a heavy sheet of steel welded inside the 10ga door jacket. The plate covers 100% of the door face, adding strength, security and maintaining the integrity of the door during a fire or breach attempt.

Refer to the chart below for a comprehensive breakdown of our doors composition.

Can I Upgrade My Security Plates?

You can increase the number of plates, and thickness of steel used in your safe door, including Carbon steel, Stainless steel, and ArmaKnox AR500.

Upgrades and Inner Steel Liners can be found on pg. 11

MODEL:	SPARTAN	MAVERICK	DEFENDER	PROTECTOR	EXECUTIVE	GUARDIAN	TITAN	LEGEND	HOME SAFE	VAULT DOOR IN-SWING	VAULT DOOR OUT-SWING
DOOR PLATE & DOOR JACKET							AR500	STAINLESS AR500			
DOOR EDGE STEEL THICKNESS	3/8"	3/8"	1/2"	1/2"	5/8"	5/8"	3/4"	1"	1/2"	5/8"	5/8"

04. FIRE PROTECTION

Sleep Well Knowing the Reliable Fire Protection System Fortifies the Walls Of Your Fort Knox Safe.




How's Fort Knox Fire-Protection Different?

At Fort Knox, our commitment to crafting top-tier fire protection sets us apart. Here's how we achieve it:

- Type-C Fireboard
- Thermal Barrier
- Welded Anchors
- Smoke Seal
- Fire Seal
- Security Plate
- Thicker Steel
- Solid Welded Seams

For a comprehensive breakdown see page 9



How Much Fire Protection Do I Need?

Consider the following when selecting your safes fire protection: The average house fire can exceed temperatures of 1,500°F, and can burn for more than an hour. We offer fire protection up to 1,680°F in 90 minutes. For increased fire protection choose a model with 2hr fire rating or upgrade with a Reinforced Fire Liner for the same protection.

RFL is not available on Spartan or Maverick models.

How Are the Safes Fire Tested?

Fort Knox safes are subjected to an intense house fire simulation. The safe is monitored by nine thermocouple sensors that are placed evenly from top to bottom as per UL72 standards. The test is terminated once the first sensor reaches 350°F, we then document the duration, and external temperature to get our fire rating. The results shown are for up to 1,680°F in 90 Minutes.



Add Reinforced-Fire-Liner for up to 2hr Protection! Not available on all models. More Info On Page 12

MODEL:	SPARTAN	MAVERICK	DEFENDER	PROTECTOR	EXECUTIVE	GUARDIAN	TITAN	LEGEND	HOME SAFE	VAULT DOOR IN-SWING	VAULT DOOR OUT-SWING
FIRE RATING	1,200° F In 60 Min	1,200° F In 75 Min	1,680° F In 90 Min	1,680° F In 90 Min	1,680° F In 90 Min	1,680° F In 90 Min	1,680° F In 90 Min	1,680° F In 90 Min	1,680° F In 120 Min	N/A	N/A



SECURITY PLATE

Fort Knox Security Plates ensure the door retains its shape, creating a resilient barrier against the encroaching flames. The heat from fire will cause a thinner safe to warp, breaking the fire seal, allowing destructive flames to penetrate.

SMOKE & FIRE SEAL

There are 2 seals around the perimeter of the safe door, the **Smoke Seal** keeps smoke, heat, and caustic residue at bay. The **Fire Seal** blocks fire from entering by activating Palusol, which expands at 212°f.

THERMAL BARRIER

Thermal Barrier is a dead air gap between the outer wall and the Type-C Fireboard created by the welded anchors. This gap significantly slows down the external transfer of heat into your safe during a fire.



TYPE-C FIREBOARD

Fort Knox uses **Type-C Fireboard** that includes Vermiculite, a shrinkage compensating additive of blended fibers, that maintain structure and fire resistant properties ensuring your valuables are protected. Some manufacturers use only common drywall.

WELDED ANCHORS

Glue can melt during a fire causing fireboard to slump away from safe walls, leaving your valuables vulnerable to the flames. Fort Knox secures your fireboard using **Welded Anchors** to ensure the longevity, and efficacy of your fire protection.





05. UPGRADES & PACKAGES

Fortify Your Safe with Added Security and More Fire Protection for Maximum Defense.



SECURITY STEEL UPGRADE:

Add Up To Four Security Liners

ARMAKNOX AR500 PACKAGE

ArmaKnox AR500 is made of heavy 7ga steel plates that cover all 6 sides of the safe. This hardened steel creates a cut, drill, and ballistic resistant barrier between your valuables and potential security breaches.

STAINLESS STEEL PACKAGE

The Stainless Steel Package reinforces all 6 sides of the safe with a 10ga stainless steel barrier for the highest protection against a torch attack.

CARBON STEEL LINER

Increase the security of your safe by fortifying its walls with 10ga steel plates. Add up to four additional layers of steel, creating a significant obstacle that will waste valuable time for potential burglars.


STEEL BODY/DOOR UPGRADE

Body Upgrade: increase the steel body thickness of the safe. *Ex. 10ga up to 3/16", or 3/16" up to 1/4"*
Door Upgrade: add an additional 1/8" steel security plate to your door. *Not Available on all models/sizes.*



FIRE PROTECTION UPGRADE:

Upgrade with RFL for the Ultimate Fire Protection




UP TO 1680F
IN 120 MINUTES

REINFORCED FIRE LINER (RFL)

Upgrade your fire protection by adding additional Type-C fireboard to all 6 sides of your safe for up to 2 hours of fire protection.

Adding RFL Reduces Gun Capacity, RFL not available on Maverick or Spartan Models



ALL 6 SIDES
COVERED



06. EXTERIOR COLORS

Explore Our Range of Premium Paint Finishes, and Detail Options to Find Your Perfect Match

TEXTURED PAINT FINISH



DARK GRANITE LIGHT GRANITE RIMROCK

PREMIUM UPGRADES



DISTRESSED TWO-TONE FADE RIVET TRIM CRANE HINGE
Rivet Trim Included External Hinge Only Choose 2 Colors Specify Rivet Color Cut-Out Lettering

HIGH GLOSS PAINT FINISH












PLATINUM CEMENT COOL GREY SKY BLUE MERCEDES SILVER MIDNIGHT BLUE BURGUNDY WINE BLACK CHERRY



BRILLIANT WHITE CHAMPAGNE DUNE ROOT BEER BROWN PEPPERDUST ARMY GREEN FOREST GREEN JET BLACK

07. LOCKS & GRAPHICS


LOCK OPTIONS:

 <p>MECHANICAL</p> <ul style="list-style-type: none"> - Reliable Key and Combo - EMP Proof <p>AVAILABLE COLORS:</p> 	 <p>ELECTRONIC</p> <ul style="list-style-type: none"> - Quick Access - EMP Resistant <p>AVAILABLE COLORS:</p> 	 <p>REDUNDANT</p> <ul style="list-style-type: none"> - Quick Access - EMP Proof <p>KEYPAD: </p> <p>DIAL: </p>	 <p>BIOMETRIC</p> <ul style="list-style-type: none"> - Quick Access Fingerprint Entry - Lock Manufacturer Warranty <p>AVAILABLE COLOR:</p> 
---	---	---	--

DETAIL OPTIONS:



GRAPHIC OPTIONS: *Pinstripe, the vinyl stripe connecting corner decals, is not available on texture finish.*



LOGO ONLY TRADITIONAL CLASSIC DOUBLE DIAMOND PERFORMANCE
Spartan | Maverick Included Defender | Protector | Executive Included Guardian | Titan | Legend Included External Right-Swing Hinge Graphic Upgrade Internal Right-Swing Hinge Graphic Upgrade

08. INTERIOR OPTIONS

FABRIC OPTIONS:



SILVER



BEIGE




GRANITE




SAND

BLACK




RED

INTERIOR LAYOUT OPTIONS:




UNIVERSAL

- 26" - 4 Shelves
- 31" - 4 Shelves
- 37" - 5 Shelves
- 41" - 5 Shelves
- 51" - 5 Shelves
- 61" - 5 Shelves




UNIVERSAL W/ GUNS

- 26" - 3 Guns
- 31" - 4 Guns
- 37" - 4 Guns
- 41" - 4 Guns
- 51" - 4 Guns
- 61" - 4 Guns




1/4 GUN RACK

- 26" - N/A
- 31" - 8 Guns
- 37" - 8 Guns
- 41" - 12 Guns
- 51" - 12 Guns
- 61" - 12 Guns




1/2 EZ GUN RACK

- 26" - N/A
- 31" - 13 Guns
- 37" - 14 Guns
- 41" - 15 Guns
- 51" - 18 Guns
- 61" - 21 Guns




1/2 GUN RACK

- 26" - 8 Guns
- 31" - 18 Guns
- 37" - 22 Guns
- 41" - 26 Guns
- 51" - 34 Guns
- 61" - 42 Guns




3/4 GUN RACK

- 26" - N/A
- 31" - 26 Guns
- 37" - 30 Guns
- 41" - 38 Guns
- 51" - 46 Guns
- 61" - 54 Guns




ALL GUN RACK

- 26" - 16 Guns
- 31" - 36 Guns
- 37" - 44 Guns
- 41" - 52 Guns
- 51" - 68 Guns
- 61" - 84 Guns




COLLECTOR

- 26" - 18 Guns
- 31" - 40 Guns
- 37" - 48 Guns
- 41" - 57 Guns
- 51" - 73 Guns
- 61" - 100 Guns



CABINET

- External hinge only
- Cabinets vary by size of safe
- Universal or file configurations available.




09. ACCESSORIES


INTERIOR ACCESSORIES:



CABINET



CARPETED PEDESTAL




PULL HANDLE




LED LIGHT SYSTEM



MIRROR



DOOR HOLSTERS



DOOR ORGANIZER



DEHUMIDIFIERS

BUNDLE PACKAGE: *Combine and Save*

Customizing your safe has never been easier. We combined our most popular accessories into bundles to save you money. Select Bundle in the "Accessories" tab of our Vault Builder.

SPARTAN & MAVERICK	
LED LIGHTS	HINGE CAPS
DOOR ORGANIZER	DEHUMIDIFIER

DEFENDER, PROTECTOR, & EXECUTIVE	
LED LIGHTS	CORNER BOLTS
PULL HANDLE	DEHUMIDIFIER

* Bundle packages vary based on Size and Model. Sizes 4026/6026 Bundle Include Lights, Dehumidifier, & Door Upgrade

10. SECURITY BOXES



ORIGINAL PISTOL BOX

The Heaviest Pistol Box on the Market

The Original Pistol Box meets the requirements of the California Firearms Safety Device Regulations. Ideal for mounting. Accommodates most sized pistols with extra mags. Foam pad lined for pistol protection.

- EXTERNAL DIMENSIONS: 10½"L X 12½"W X 5"H
- QUICK-ACCESS, MECHANICAL LOCK
- STURDY 10-GAUGE BODY, 3/16" WRAP-AROUND DOOR
- 22 lbs



AUTO, PERSONAL & SHOTGUN BOXES

Protect your valuables

Featuring a durable 10-gauge body and a resilient 3/16" plate door. Choose from three sizes: the compact 6" deep Auto, perfect for car center consoles, the versatile 12" deep Personal, and our largest at 45" deep, Shotgun box, ideal for easy access to your firearms.

- AUTO PISTOL BOX: 6"L X 9½"W X 5"H, 13LBS
- PERSONAL PISTOL BOX: 12"L X 9½"W X 5"H, 20LBS
- SHOTGUN BOX: 45"L X 9½"W X 5"H, 54LBS



CONTROLLED ACCESS BOX

Privacy Lock Box

Our largest Security box, The Controlled Access boxes are great for storing ammo and other valuables. They can be used as a standalone security container or inside your safe for an additional layer of security. Available in 3 sizes for your convenience.

- CAB20: 13"L X 20"W X 8"H, 43LBS
- CAB20 FITS ON TOP OF 6026, OR INSIDE 6026
- CAB24: 15"L X 24"W X 8"H, 55LBS
- CAB24 FITS ON TOP OF 6026, OR INSIDE 6031
- CAB28: 15"L X 28"W X 8"H, 63LBS
- CAB28 FITS ON TOP OF 6031, OR INSIDE 6637

Limited Lifetime Warranty on Pistol Box



Shop Pistol Boxes

— * * * * * —
PROUDLY CRAFTED IN THE

Forest Green, 8240 Vault Door

Dark Granite, 8240 Vault Door



New Sky Blue, Home Safe

Burgundy Wine, 6637

Distressed Finish with Crane Hinge

New Wide Door, 7251

New Crane Hinge

Black Cherry, 7241

Two Toned, 6637

New Red Interior

UNITED STATES OF AMERICA

— * * * * * —

BUILD YOURS TODAY


AT FTKNOX.COM



SAFE MODEL	SPARTAN	MAVERICK	DEFENDER	PROTECTOR	EXECUTIVE	GUARDIAN	TITAN	LEGEND	HOME SAFES	VAULT DOOR IN-SWING	VAULT DOOR OUT-SWING
FIRE PROTECTION	1,200° F In 60 Minutes	1,200° F In 75 Minutes	1,680° F In 90 Minutes	1,680° F In 90 Minutes	1,680° F In 90 Minutes	1,680° F In 90 Minutes	1,680° F In 90 Minutes	1,680° F In 90 Minutes	1,680° F In 120 Minutes	N/A	N/A
OVERALL BODY STEEL THICKNESS	3/16"	10 Gauge	10 Gauge	3/16"	1/4"	5/16"	3/8"	1/2"	3/16"	3/16"	3/16"
DOOR EDGE STEEL THICKNESS	3/8"	3/8"	1/2"	1/2"	5/8"	5/8"	3/4"	1"	1/2"	5/8"	5/8"
LOCKING BOLTS	12	9	11	11	11	18	18	26	11	19	24
STAINLESS STEEL LINER	N/A	Optional	Optional	Optional	Optional	Optional	Optional	Included	Optional	Optional	Optional
AR500 STEEL LINER	N/A	Optional	Optional	Optional	Optional	Optional	3/16"	3/16"	Optional	Optional	Optional
CARBON STEEL LINER	Optional	Optional	Optional	Optional	Optional	10 Gauge	Optional	Optional	Optional	Optional	Optional
CORNER BOLTS	N/A	N/A	Bundle	Bundle	Bundle	Included	Included	Included	N/A	N/A	Included
DOOR ORGANIZER	Bundle	Bundle	Included	Included	Included	Included	Included	N/A	Home Safe Organizer	N/A	N/A
LIGHTS	Bundle	Bundle	Bundle	Bundle	Bundle	Included	Included	Included	Included	N/A	N/A
DEHUMIDIFIER	Bundle	Bundle	Bundle	Bundle	Bundle	Optional	Included	Included	Optional	N/A	N/A
HINGE CAPS	Bundle	Bundle	Included	Included	Included	Included	Included	Included	Included	Included	Included
PULL HANDLE	Optional	Optional	Bundle	Bundle	Bundle	Optional	Optional	Optional	Optional	Included	Included
LIMITED LIFETIME WARRANTY	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included

SAFE COMPARISON TABLE

SPARTAN SAFE



3/8" DOOR EDGE

12

LOCKING BOLTS



1,200F IN 60 MIN

3/16"

OVERALL BODY STEEL THICKNESS



Dark Granite Texture Finish


VAULT FEATURES

- HINGE External Only
- HINGE CAPS [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- DOOR ORGANIZER [Bundle](#)

Size	Depth	Volume	Weight	Bolts
4026	20"/22"	10 ft ³	560 Lbs.	12
6026	20"/22"	16 ft ³	750 Lbs.	12
6031	27"/29"	28 ft ³	975 Lbs.	12
6637	27"/29"	36 ft ³	1,160 Lbs.	12
7241	27"/29"	45 ft ³	1,325 Lbs.	14
7251	27"/29"	57 ft ³	1,488 Lbs.	14
7261	27"/29"	69 ft ³	1,608 Lbs.	14



DEFENDER SAFE



1/2" DOOR EDGE

11

LOCKING BOLTS



1680F IN 90 MIN

10GA

OVERALL BODY STEEL THICKNESS



Dune Finish & Performance Stripe

VAULT FEATURES

- DOOR ORGANIZER [Included](#)
- CORNER BOLTS [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- PULL HANDLE [Bundle](#)

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	510 Lbs.	11
6026	20"/23"	16 ft ³	705 Lbs.	11
6031	27"/30"	28 ft ³	895 Lbs.	11
6637	27"/30"	36 ft ³	1,125 Lbs.	11
7241	27"/30"	45 ft ³	1,365 Lbs.	13
7251	27"/30"	57 ft ³	1,755 Lbs.	13
7261	27"/30"	69 ft ³	1,840 Lbs.	13



MAVERICK SAFE



3/8" DOOR EDGE

9

LOCKING BOLTS



1200F IN 75 MIN

10GA

OVERALL BODY STEEL THICKNESS




Burgundy Wine Finish

VAULT FEATURES

- HINGE External Only
- HINGE CAPS [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- DOOR ORGANIZER [Bundle](#)

Size	Depth	Volume	Weight	Bolts
4024	18"/21"	8ft ³	430 Lbs.	9
6024	18"/21"	14ft ³	580 Lbs.	9
6026	20"/23"	16ft ³	620 Lbs.	9
6031	27"/30"	28ft ³	805 Lbs.	9
6041	27"/30"	32ft ³	990 Lbs.	9
6637	27"/30"	36ft ³	1,000 Lbs.	9
7241	27"/30"	45 ft ³	1,125 Lbs.	11
7251	27"/30"	57 ft ³	1,320 Lbs.	13
7261	27"/30"	69 ft ³	1,460 Lbs.	13

PROTECTOR SAFE



1/2" DOOR EDGE

11

LOCKING BOLTS



1680F IN 90 MIN

3/16"

OVERALL BODY STEEL THICKNESS




Forest Green Finish, Left Swing

VAULT FEATURES

- HINGE CAPS [Included](#)
- PULL HANDLE [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- CORNER BOLTS [Bundle](#)

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	570 Lbs.	11
6026	20"/23"	16 ft ³	785 Lbs.	11
6031	27"/30"	28 ft ³	980 Lbs.	11
6637	27"/30"	36 ft ³	1,240 Lbs.	11
7241	27"/30"	45 ft ³	1,495 Lbs.	13
7251	27"/30"	57 ft ³	1,755 Lbs.	13
7261	27"/30"	69 ft ³	1,840 Lbs.	13

EXECUTIVE SAFE



5/8" DOOR EDGE

11
LOCKING BOLTS



1680F IN 90 MIN

1/4"

OVERALL BODY STEEL THICKNESS



Fade, Platinum-Mercedes Finish

VAULT FEATURES

- DOOR ORGANIZER.....Included
- CORNER BOLTS.....Bundle
- LIGHTS.....Bundle
- DEHUMIDIFIER.....Bundle
- PULL HANDLE.....Bundle

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	650 Lbs.	11
6026	20"/23"	16 ft ³	885 Lbs.	11
6031	27"/30"	28 ft ³	1,111 Lbs.	11
6637	27"/30"	36 ft ³	1,360 Lbs.	11
7241	27"/30"	45 ft ³	1,660 Lbs.	13
7251	27"/30"	57 ft ³	1,890 Lbs.	13
7261	27"/30"	69 ft ³	2,050 Lbs.	13



TITAN SAFE



3/4" DOOR EDGE

18
LOCKING BOLTS



1680F IN 90 MIN

3/8"

OVERALL BODY STEEL THICKNESS



Distressed Finish with Crane Hinge


VAULT FEATURES

- AR500 STEEL LINER.....Included
- PULL HANDLE.....Optional
- LIGHTS.....Included
- DEHUMIDIFIER.....Included
- CORNER BOLTS.....Included

Size	Depth	Volume	Weight	Bolts
6031	27"/30"	28 ft ³	1,455 Lbs.	18
6637	27"/30"	36 ft ³	1,810 Lbs.	20
7241	27"/30"	45 ft ³	2,160 Lbs.	20
7251	27"/30"	57 ft ³	2,588 Lbs.	20
7261	27"/30"	69 ft ³	2,763 Lbs.	20



GUARDIAN SAFE



5/8" DOOR EDGE

18
LOCKING BOLTS



1680F IN 90 MIN

5/16"

OVERALL BODY STEEL THICKNESS




Cool Grey Finish, Left Swing

VAULT FEATURES

- INNER STEEL LINER 10GA.....Included
- PULL HANDLE.....Optional
- LIGHTS.....Included
- DEHUMIDIFIER.....Optional
- CORNER BOLTS.....Included

Size	Depth	Volume	Weight	Bolts
6031	27"/30"	28 ft ³	1,245 Lbs.	18
6637	27"/30"	36 ft ³	1,575 Lbs.	20
7241	27"/30"	45 ft ³	1,880 Lbs.	20
7251	27"/30"	57 ft ³	2,130 Lbs.	20
7261	27"/30"	69 ft ³	2,280 Lbs.	20

LEGEND SAFE



1" DOOR EDGE

26
LOCKING BOLTS



1680F IN 90 MIN

1/2"

OVERALL BODY STEEL THICKNESS




Brilliant White Finish

VAULT FEATURES

- AR500 STEEL LINER.....3/16"
- STAINLESS STEEL LINER.....10GA
- NICKEL PLATED GEARS.....Included
- LIGHTS.....Included
- CORNER BOLTS.....Included

Size	Depth	Volume	Weight	Bolts
6637	27"/30"	36 ft ³	2,254 Lbs.	26
7241	27"/30"	45 ft ³	2,673 Lbs.	28
7251	27"/30"	57 ft ³	2,985 Lbs.	28
7261	27"/30"	69 ft ³	3,245 Lbs.	28

HOME SAFES



1/2" DOOR EDGE

11

LOCKING BOLTS



1680F IN 120 MIN

3/16"

OVERALL BODY STEEL THICKNESS



NEW Sky Blue Finish


VAULT FEATURES

- CABINET.....Included
- HINGE.....External Only
- LIGHTS.....Included
- DEHUMIDIFIER.....Optional
- JEWELRY BACK PANEL.....Included

Model	Liners	Depth	Volume	Weight	Bolts
Marquise 4026	N/A	20"/23"	10ft³	693 Lbs.	11
Marquise 6026	N/A	20"/23"	16ft³	908 Lbs.	11
Legacy 4026	AR500 Steel	20"/23"	10ft³	906 Lbs.	11
Legacy 6026	AR500 Steel	20"/23"	16ft³	1,203 Lbs.	11
Treasury 4026	AR500 + Stainless	20"/23"	10ft³	1,043 Lbs.	11
Treasury 6026	AR500 + Stainless	20"/23"	16ft³	1,402 Lbs.	11



IN-SWING VAULT DOOR



5/8" DOOR EDGE

19

LOCKING BOLTS



N/A

3/16"

FACE FRAME THICKNESS



Dark Granite Finish

VAULT FEATURES

- AR500 STEEL.....Optional
- STAINLESS STEEL.....Optional
- INNER STEEL LINER.....Optional
- PULL HANDLE.....Included
- SWING.....Left or Right

Size	H x W	Door	Weight	Bolts
8240	85" x 45"	75" x 30"	1,310 Lbs.	19
8248	85" x 56"	75" x 38"	1,580 Lbs.	19

ROUGH OPENING

Size	ROUGH OPENING
8240	82" x 40"
8248	82" x 48"



VAULT DOOR FAQ'S

HOW DO I PREPARE FOR MY VAULT DOOR?

To ensure you order the correct door, carefully collect the following measurements:

Rough Opening: Concrete to concrete opening where the door will be installed. Vault door size is the same as your rough opening dimensions. Standard rough openings:

82"H X 40"W, or 82"H X 48"W

Wall Thickness: Measure the thickness of the wall the Door will be mounted to. Wall thickness **must** be specified at time of order. Frame will be built based on the info you input.

Overall Face Dimensions: Clear framing and sheet rock 6" around rough opening to make space for the Door Frame.

Vault Door Size: **8240**, Overall Face: **85" x 45"**

Vault Door Size: **8248**, Overall Face: **85" x 56"**

HOW DO I DECIDE IN-SWING VS. OUT-SWING?

In-Swing doors can be used as a storm shelter or panic room in the event the door is blocked from the outside. The In-Swing Door is also ideal for hiding or concealing the location of your vault. Out-swing offers 180 degree opening radius and benefits those with limited vault room space.


WHAT IS RIGHT SWING VS. LEFT SWING?

We define right vs left swing based on which side the hinges are on. Standing outside the room facing the front of the door, Right swing has hinges on the right side.

Scan Now to Watch
VAULT DOOR:
Installation Video



OUT-SWING VAULT DOOR



5/8" DOOR EDGE

24

LOCKING BOLTS



N/A

3/16"

FACE FRAME THICKNESS



Root Beer Brown Finish

VAULT FEATURES

- AR500 STEEL.....Optional
- STAINLESS STEEL.....Optional
- INNER STEEL LINER.....Optional
- PULL HANDLE.....Standard
- SWING.....Left or Right

Size	H x W	Door	Weight	Bolts
8240	85" x 45"	75" x 30"	1,330 Lbs.	24
8248	85" x 56"	75" x 38"	1,610 Lbs.	24

ROUGH OPENING

Size	ROUGH OPENING
8240	82" x 40"
8248	82" x 48"

BUILD YOUR SAFE TODAY



801.224.7233 | FTKNOX.COM

Copyright 2024 Fort Knox Inc. All Rights Reserved