

FORT KNOX

SAFES ✦ VAULTS



2026 BUYING GUIDE & CATALOG



✧
IN MEMORY OF OUR FOUNDER

Tom James
1930 - 2025

✧

Fort Knox was founded in the year 1982 by Tom James, with a mission to protect firearms from unwanted hands. To this day, we remain family owned and operated, expanding our commitment to safeguard not just firearms, but also cherished memories, heirlooms, and valuables. This journey has solidified our position as the gold standard in security with a dedication to American quality, ingenuity, and integrity.



WATCH THE STORY OF FORT KNOX

TABLE OF CONTENTS

BUYING GUIDE

SIZE OPTIONS	4
BODY STEEL THICKNESS	6
DOOR STEEL THICKNESS	7
FIRE PROTECTION	8
UPGRADES	11
EXTERIOR COLOR	12
LOCKS & GRAPHICS	13
NEW CABINET/WINDERS	14
INTERIORS	16
ACCESSORIES	17
SECURITY BOXES	17

PRODUCT CATALOG

SPARTAN & MAVERICK	20
DEFENDER & PROTECTOR	21
EXECUTIVE & GUARDIAN	22
TITAN & LEGEND	23
HOME SAFES	24
VAULT DOORS	24
VAULT DOOR FAQ'S	25
COMPARISON TABLE	26



01. SIZE OPTIONS

Consider the following questions to ensure you get the most out of your Fort Knox Safe

WHAT IS THE RIGHT SIZE FOR ME?

Evaluate the size, shape, volume, and nature of your valuables, as these factors will significantly influence the size and interior configuration of your safe. Consider the number of firearms you own and anticipate the future growth of your collection by selecting a safe larger than your current needs. This will ensure space for your expanding collection. Organize and preserve your collection with our modular interior configurations designed to suit your unique requirements. Including shelves, gun racks, door organizers, jewelry cabinets and watch winders.

See Interior Configurations on pg. 16

HOW DO I PREPARE FOR MY SAFE?


Measure your intended destination and delivery pathway, including door frames, narrow hallways, and tight corners to ensure your safe will fit. Internal, external, left, or right hinges are available to better accommodate your space. We recommend anchoring your safe down for added safety and security.

WHAT ARE THE LIMITATIONS ON DELIVERY?

Limitations such as ceiling height, stairs, stair-landings, turns, and the size/weight of the safe can make some installations difficult. *If you have any questions about delivery or install, please contact Fort Knox.*

VAULT DOOR: SIZE COMPARISON

Order the Correct Size by Carefully Measuring Your Rough Opening and Wall Thickness



SAFE: SIZE COMPARISON



02. BODY STEEL THICKNESS

Every Fort Knox product is proudly crafted in the USA using thick, high-quality American steel.

WHAT MAKES THE CONSTRUCTION OF FORT KNOX SAFES DIFFERENT?

Fort Knox safes and vault doors begin as thick sheets of metal that are machine folded to minimize joints. The remaining seams are welded both internally and externally for 100% weld penetration, creating a seamless, durable, solid steel enclosure.

WHAT IS OVERALL STEEL BODY THICKNESS?

The combined thickness of the outer steel body and the inner steel liners determine a safe's overall body thickness. For example, the Titan consists of a 3/16" steel body and a 3/16" ArmaKnox AR500 Package resulting in a combined thickness of 3/8". Refer to diagrams below for overall body thickness by model.

MAVERICK & DEFENDER	SPARTAN, PROTECTOR, & MARQUISE	EXECUTIVE	GUARDIAN	TITAN & LEGACY	LEGEND & TREASURY
10GA BODY THICKNESS	3/16" BODY THICKNESS	1/4" BODY THICKNESS	3/16" OUTER + 10GA INNER LINER	3/16" OUTER + 3/16" ARMAKNOX	3/16" OUTER + 10GA STAINLESS + 3/16" ARMAKNOX
TOTAL 10GA	TOTAL 3/16"	TOTAL 1/4"	TOTAL 5/16"	TOTAL 3/8"	TOTAL 1/2"

*Visual representation only. Construction details simplified.

03. DOOR STEEL THICKNESS



WHAT IS DOOR EDGE THICKNESS?

Door Edge Thickness is the combination of the security door plate(s) thickness with the thickness of the door jacket.

WHY IS THE SECURITY PLATE IMPORTANT?

The security plate, or door plate, is a heavy sheet of steel welded inside the 10ga door jacket. This plate fully covers the door face, edge-to-edge. It adds strength, security, and protects the door's integrity in the event of fire or forced entry.

WHAT ARE MULTIPLE RELOCKERS?

Multiple Relockers are a defensive mechanism that will activate if an intruder attempts to cut the door, rendering it inoperable, keeping intruders out.

WHAT IS A HARD PLATE?

The **Hard Plate or Mounting Plate** is a ball-bearing reinforced, hardened steel plate that protects your lock and Relocker from cutting and drilling attacks.

Upgrade information available on page 11

SPARTAN	MAVERICK	DEFENDER, PROTECTOR, & MARQUISE	EXECUTIVE, GUARDIAN, & VAULT DOORS	TITAN & LEGACY	LEGEND
3/8" PLATE DOOR (SOLID SHEET OF STEEL)	10GA JACKET/SHELL + 11GA DOOR PLATE	10GA JACKET/SHELL + 1/4" DOOR PLATE	10GA JACKET/SHELL + 3/8" DOOR PLATE	10GA JACKET/SHELL + 3/16" ARMAKNOX + 3/8" DOOR PLATE	10GA JACKET/SHELL + 10GA STAINLESS + 3/16" ARMAKNOX + 3/8" DOOR PLATE
DOOR EDGE THICKNESS 3/8"	DOOR EDGE THICKNESS 3/8"	DOOR EDGE THICKNESS 1/2"	DOOR EDGE THICKNESS 5/8"	DOOR EDGE THICKNESS 3/4"	DOOR EDGE THICKNESS 1"

*Visual representation only. Construction details simplified.

04. FIRE PROTECTION

Rest Assured Knowing our Robust Fire-Protection System Fortifies your Fort Knox Safe.

<p>SPARTAN</p>  <p>UP TO 1,500°F IN 1 HOUR</p>	<p>MAVERICK</p>  <p>UP TO 1,600°F IN 1.5 HOURS</p>	<p>DEFENDER, PROTECTOR, EXECUTIVE GUARDIAN, TITAN, & LEGEND</p>  <p>UP TO 1,700°F IN 2 HOURS</p>	<p>REINFORCED FIRE LINER & HOME SAFES</p>  <p>UP TO 1,800°F IN 2.5 HOURS</p>
---	---	--	---

HOW MUCH FIRE PROTECTION DO I NEED?

Consider the following when selecting your safes fire protection: The average house fire can exceed temperatures of 1,500°F and can burn for more than an hour. We offer fire protection up to 1,700°F in two hours. For even greater protection upgrade your safe with a Reinforced Fire Liner for up to 1,800°F in two and a half hours.


RFL is not available on Spartan or Maverick models.

HOW ARE THE SAFES FIRE TESTED?

Fort Knox safes are subjected to an intense house fire simulation. The safe is monitored internally by nine thermocouple sensors that are placed evenly from top to bottom as per UL72 standards. The test is terminated once the first sensor reaches 350°F, we then document the duration and external temperature to get our fire rating.

FIRE TEST RESULTS

SAFES INTERNAL TEMP. | FURNACE TEMP.



Customer Photo of House Fire

SECURITY PLATE


An internal steel plate ensures the door retains its shape, creating a resilient barrier against the encroaching flames. Intense heat will cause a thinner safe to warp, breaking the fire seal, allowing destructive flames to penetrate.

SMOKE & FIRE SEAL

There are two seals around the perimeter of the safe door. The **Smoke Seal** keeps smoke, heat, and caustic residue at bay. The **Fire Seal** blocks fire from entering by activating Palusol, which expands at 212°F.

THERMAL BARRIER

Thermal Barrier is a dead air gap between the outer wall and the Type-C Fireboard created by the welded anchors. This gap significantly slows down the external transfer of heat into your safe during a fire.



TYPE-C FIREBOARD

Fort Knox uses Type-C Fireboard utilizes Vermiculite, a shrinkage compensating additive of blended fibers, that help maintain the structure and fire resistant properties ensuring your valuables are protected. Some manufacturers only use common drywall.

WELDED ANCHORS

Glue can melt during a fire causing fireboard to slump away from safe walls, leaving your valuables vulnerable to the flames. Fort Knox secures your fireboard using Welded Anchors to ensure the longevity and efficacy of your fire protection.



Guardian, Rimrock Finish, 7241

05. UPGRADES & PACKAGES

Reinforce your Safe or Vault Door with more steel, fire-protection, & peace of mind.



SECURITY STEEL UPGRADE:

Add up to 4 Layers or a Total of 1/2" of Additional Steel

ARMAKNOX AR500 PACKAGE

ArmaKnox AR500 is made of heavy 3/16" ballistic plates. This hardened steel creates a cut, drill, and ballistic resistant barrier between your valuables and potential security breaches.



3/16" BALLISTIC STEEL COVERING ALL 6 SIDES

STAINLESS STEEL PACKAGE

For the ultimate protection against torch attacks, the Stainless Steel Package fortifies all six sides of the safe with a robust 10-gauge stainless steel barrier.




10GA STAINLESS STEEL COVERING ALL 6 SIDES



10GA CARBON STEEL LINER

Increase your security by fortifying its walls with 10GA steel plates. Add up to four additional layers of steel, creating a significant obstacle that will cost valuable time for potential burglars.



10GA CARBON STEEL FORTIFYING THE SAFES BODY

STEEL BODY & DOOR UPGRADE

Body Upgrade: increase the steel body thickness of the safe.
Ex. 10ga up to 3/16", or 3/16" up to 1/4"
Door Upgrade: add an additional 1/8" steel security plate to your door.
Not Available on all models/sizes.



INCREASE OUTER STEEL THICKNESS



BODY & FIRE UPGRADES:

REINFORCED FIRE LINER

Upgrade your fire protection with the RFL, by adding type-c fireboard, increasing your fire rating up to 1800°F in 2.5 hours!

RFL not available on Spartan or Maverick.



UPGRADE: UP TO 1800F IN 150 MINUTES

EXTRA-DEEP UPGRADE

Upgrade the box depth of your safe from 27" to 40"! The XD upgraded safe may not be able to fit through a standard door frame.

XD upgrade only available in sizes: 7251XD and 7261XD



INCREASE OVERALL DEPTH FROM 27" TO 40"

06. EXTERIOR COLORS

Choose from Our Range of Premium Paint Finishes, & Detail Options to Find Your Perfect Match

TEXTURED PAINT FINISH:



DARK GRANITE LIGHT GRANITE RIMROCK

PREMIUM UPGRADES:



DISTRESSED TWO-TONE FADE RIVET TRIM CRANE HINGE
Rivet Trim Included External Hinge Only Select 2 Colors Specify Rivet Color Cut-Out Lettering

HIGH GLOSS PAINT FINISH:

**Representation of color is not exact, appearance will vary*



PLATINUM CEMENT COOL GREY SKY BLUE MERCEDES SILVER MIDNIGHT BLUE BURGUNDY WINE BLACK CHERRY



BRILLIANT WHITE CHAMPAGNE DUNE ROOT BEER BROWN PEPPERDUST ARMY GREEN FOREST GREEN JET BLACK

07. LOCKS & GRAPHICS

LOCK OPTIONS:

MECHANICAL	ELECTRONIC	REDUNDANT
<ul style="list-style-type: none"> - Reliable Key & Combo Entry - EMP Proof 	<ul style="list-style-type: none"> - Quick Access - EMP Resistant 	<ul style="list-style-type: none"> - Quick Access - EMP Proof
AVAILABLE COLORS: <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	AVAILABLE COLORS: <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	KEYPAD: <input type="checkbox"/> <input type="checkbox"/> DIAL: <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

DETAIL OPTIONS:



GRAPHIC OPTIONS: *Pinstripe - the vinyl stripe connecting corner decals, is not available on texture finish.*



LOGO ONLY TRADITIONAL CLASSIC DOUBLE DIAMOND PERFORMANCE
Spartan | Maverick Defender | Protector | Executive Guardian | Titan | Legend External Right-Swing Hinge Internal Right-Swing Hinge
Included Included Included Graphic Upgrade Graphic Upgrade



Home Safe | 6031 | Full Cabinet | 9 Watch Winders

NEW ACCESSORIES FOR 2026



NEW FORT KNOX WATCH WINDER



HOME SAFE | 6031



3-SPOT WATCH WINDER

6-SPOT WATCH WINDER

- **QUIET ROTATION:** SMOOTH, RELIABLE ROTATION
- **ADJUSTABLE PILLOW:** SNUG FIT
- **PROGRAMMABLE OPTIONS:** TPD AND DIRECTIONAL
- **TURNS PER DAY:** REFERRED AS "TPD"
- **ROTATION DIRECTION:** LEFT, RIGHT, OR BOTH
- **AVAILABLE IN 6 OR 3 SPOT UNITS:** COMBINE UP TO 24
- **CHOOSE STAND-ALONE OR CABINET INTEGRATED**




FULL CABINET
STANDARD CONFIGURATION

HALF CABINET
STANDARD CONFIGURATION

NEW CABINET SIZES | FULL & HALF

SHOWING DRAWER CONFIGURATION, CABINET DEPTH IS SIZE DEPENDENT



HALF
Standard
4026/6026

HALF
Standard
6031+

FULL
Standard
6026+

FULL
9 - Watch
Winders

FULL
24 - Watch
Winders

- **FULL OR HALF OPTIONS:** DEPTH IS SAFE SIZE DEPENDENT
- **FELT-LINED DRAWERS**
- **CONFIGURABLE JEWELRY COMPARTMENTS**
- **SUPPORTS UP TO 24 WATCH WINDERS**

08. INTERIOR OPTIONS

FABRIC OPTIONS:

CRUSHED VELOUR



GRANITE

SAND

BLACK

RED

PRESTIGE



SILVER

BEIGE


INTERIOR LAYOUT OPTIONS:

UNIVERSAL



- 6026: 4 SHELVES
- 6031: 4 SHELVES
- 6637: 5 SHELVES
- 7241: 5 SHELVES
- 7251: 5 SHELVES
- 7261: 5 SHELVES
- 7251XD: 5 SHELVES
- 7261XD: 5 SHELVES

UNIVERSAL WITH GUNS



- 6026: 3 GUNS
- 6031: 4 GUNS
- 6637: 4 GUNS
- 7241: 4 GUNS
- 7251: 4 GUNS
- 7261: 4 GUNS
- 7251XD: 4 GUNS
- 7261XD: 4 GUNS

1/4 GUN RACK




- 6026: N/A
- 6031: 8 GUNS
- 6637: 8 GUNS
- 7241: 12 GUNS
- 7251: 12 GUNS
- 7261: 12 GUNS
- 7251XD: 18 GUNS
- 7261XD: 18 GUNS

1/2 EZ GUN RACK



- 6026: N/A
- 6031: 13 GUNS
- 6637: 14 GUNS
- 7241: 15 GUNS
- 7251: 18 GUNS
- 7261: 21 GUNS
- 7251XD: 26 GUNS
- 7261XD: 28 GUNS

1/2 GUN RACK



- 6026: 8 GUNS
- 6031: 18 GUNS
- 6637: 22 GUNS
- 7241: 26 GUNS
- 7251: 34 GUNS
- 7261: 42 GUNS
- 7251XD: 51 GUNS
- 7261XD: 63 GUNS

3/4 GUN RACK



- 6026: N/A
- 6031: 26 GUNS
- 6637: 30 GUNS
- 7241: 38 GUNS
- 7251: 46 GUNS
- 7261: 54 GUNS
- 7251XD: 69 GUNS
- 7261XD: 81 GUNS

ALL GUN RACK



- 6026: 16 GUNS
- 6031: 36 GUNS
- 6637: 44 GUNS
- 7241: 52 GUNS
- 7251: 68 GUNS
- 7261: 84 GUNS
- 7251XD: 102 GUNS
- 7261XD: 126 GUNS

GUN COLLECTOR



- 6026: 18 GUNS
- 6031: 40 GUNS
- 6637: 48 GUNS
- 7241: 57 GUNS
- 7251: 73 GUNS
- 7261: 100 GUNS
- 7251XD: 110 GUNS
- 7261XD: 150 GUNS

CABINET



- ONLY AVAILABLE WITH EXTERNAL HINGE.
- CABINET DIMENSIONS AND GUN RACK VARY BY SAFE SIZE.
- SUPPORTS WATCH WINDERS OPTIONS.

09. ACCESSORIES



Shop Accessories



PULL HANDLE

DOOR ORGANIZER & HOLSTERS

DEHUMIDIFIER

LED LIGHTS

PLATFORM COVER & CARPETED PEDESTAL

MIRROR

BUNDLE: SPARTAN | MAVERICK

PULL HANDLE

DOOR ORGANIZER

DEHUMIDIFIER

LED LIGHTS

BUNDLE: DEFENDER | PROTECTOR | EXECUTIVE

PULL HANDLE

DEHUMIDIFIER

LED LIGHTS

CORNER BOLTS

* Bundle packages for Sizes: 4026 & 6026 Include Lights, Dehumidifier, Door Organizer & Door Upgrade

10. SECURITY BOXES



Shop Pistol Boxes



ORIGINAL PISTOL BOX

- QUICK-ACCESS LOCK
- 10GA BODY
- 3/16" DOOR
- DURABLE POWDERCOAT FINISH
- LIMITED LIFETIME WARRANTY

DIMENSIONS

- EXTERNAL: 10.25"L X 12.5"W X 4.35"H
- INTERNAL: 9.75"L X 11.75"W X 3.5"H
- WEIGHT: 22LBS



AUTO, PERSONAL, & SHOTGUN BOX

- QUICK-ACCESS LOCK
- 10GA BODY
- 3/16" DOOR
- DURABLE POWDERCOAT FINISH
- LIMITED LIFETIME WARRANTY

SIZES

- AUTO: 6"L X 9.5"W X 5"H | 13LBS
- PERSONAL: 12"L X 9.5"W X 5"H | 20LBS
- SHOTGUN: 45"L X 9.5"W X 5"H | 54LBS



CONTROL ACCESS BOX

- QUICK-ACCESS LOCK
- 10GA BODY
- 3/16" DOOR
- DURABLE TEXTURED FINISH
- LIMITED LIFETIME WARRANTY

SIZES

- CAB20: 13"L X 20"W X 8"H | 43LBS
- CAB24: 15"L X 24"W X 8"H | 55LBS
- CAB28: 15"L X 28"W X 8"H | 63LBS



PROUDLY MADE IN THE

8248, Burgundy Wine Vault Door with Crane Hinge



7251, Pepperdust with Performance Graphic



6637, Distressed Finish & Gold Hardware



6026, Army Green with Rivets



7261XD, Dark Granite with Light Granite Crane Hinge



UNITED STATES OF AMERICA



SPARTAN SAFE



3/16"
OVERALL BODY STEEL THICKNESS



Dark Granite Texture Finish

- GRAPHIC INCLUDED Logo Only
- HINGE External Only
- PULL HANDLE [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- DOOR ORGANIZER [Bundle](#)
- LIMITED LIFETIME WARRANTY [Included](#)

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	593 lbs.	11
6026	20"/23"	16 ft ³	789 lbs.	11
6031	27"/30"	28 ft ³	1,028 lbs.	11
6637	27"/30"	36 ft ³	1,219 lbs.	11
7241	27"/30"	45 ft ³	1,396 lbs.	13
7251	27"/29"	57 ft ³	1,559 lbs.	13
7261	27"/29"	69 ft ³	1,679 lbs.	13
7251XD	40"/43"	85 ft ³	2,125 lbs.	13
7261XD	40"/43"	100 ft ³	2,289 lbs.	13



DEFENDER SAFE



10GA
OVERALL BODY STEEL THICKNESS



White Finish, Performance Stripe

- GRAPHIC INCLUDED Traditional
- DOOR ORGANIZER [Included](#)
- CORNER BOLTS [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- PULL HANDLE [Bundle](#)
- LIMITED LIFETIME WARRANTY [Included](#)


Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	543 lbs.	11
6026	20"/23"	16 ft ³	744 lbs.	11
6031	27"/30"	28 ft ³	948 lbs.	11
6637	27"/30"	36 ft ³	1,184 lbs.	11
7241	27"/30"	45 ft ³	1,436 lbs.	13
7251	27"/30"	57 ft ³	1,826 lbs.	13
7261	27"/30"	69 ft ³	1,911 lbs.	13
7251XD	40"/43"	85 ft ³	2,174 lbs.	13
7261XD	40"/43"	100 ft ³	2,366 lbs.	13



MAVERICK SAFE



10GA
OVERALL BODY STEEL THICKNESS



*Light Granite Finish
Double Diamond Graphics*

- GRAPHIC INCLUDED Logo Only
- HINGE External Only
- PULL HANDLE [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- DOOR ORGANIZER [Bundle](#)
- LIMITED LIFETIME WARRANTY [Included](#)

Size	Depth	Volume	Weight	Bolts
4024	18"/21"	8ft ³	455 lbs.	9
6024	18"/21"	14ft ³	619 lbs.	9
6026	20"/23"	16ft ³	659 lbs.	9
6031	27"/30"	28ft ³	858 lbs.	9
6041	27"/30"	32ft ³	1,043 lbs.	9
6637	27"/30"	36ft ³	1,059 lbs.	9
7241	27"/30"	45 ft ³	1,196 lbs.	11
7251	27"/30"	57 ft ³	1,391 lbs.	11
7261	27"/30"	69 ft ³	1,531 lbs.	11
7251XD	40"/43"	85 ft ³	1,894 lbs.	11
7261XD	40"/43"	100 ft ³	2,086 lbs.	11

PROTECTOR SAFE



3/16"
OVERALL BODY STEEL THICKNESS



Fade, Gloss Black to Cement

- GRAPHIC INCLUDED Traditional
- HINGE CAPS [Included](#)
- PULL HANDLE [Bundle](#)
- LIGHTS [Bundle](#)
- DEHUMIDIFIER [Bundle](#)
- CORNER BOLTS [Bundle](#)
- LIMITED LIFETIME WARRANTY [Included](#)

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	603 lbs.	11
6026	20"/23"	16 ft ³	824 lbs.	11
6031	27"/30"	28 ft ³	1,033 lbs.	11
6637	27"/30"	36 ft ³	1,299 lbs.	11
7241	27"/30"	45 ft ³	1,566 lbs.	13
7251	27"/30"	57 ft ³	1,826 lbs.	13
7261	27"/30"	69 ft ³	1,911 lbs.	13
7251XD	40"/43"	85 ft ³	2,392 lbs.	13
7261XD	40"/43"	100 ft ³	2,521 lbs.	13

EXECUTIVE SAFE




Pepperdust finish, Rivet Trim

- GRAPHIC INCLUDED Traditional
- DOOR ORGANIZER Included
- CORNER BOLTS Bundle
- LIGHTS Bundle
- DEHUMIDIFIER Bundle
- PULL HANDLE Bundle
- LIMITED LIFETIME WARRANTY Included

Size	Depth	Volume	Weight	Bolts
4026	20"/23"	10 ft ³	683 lbs.	11
6026	20"/23"	16 ft ³	924 lbs.	11
6031	27"/30"	28 ft ³	1,164 lbs.	11
6637	27"/30"	36 ft ³	1,419 lbs.	11
7241	27"/30"	45 ft ³	1,731 lbs.	13
7251	27"/30"	57 ft ³	1,961 lbs.	13
7261	27"/30"	69 ft ³	2,121 lbs.	13
7251XD	40"/43"	85 ft ³	2,676 lbs.	13
7261XD	40"/43"	100 ft ³	2,895 lbs.	13



TITAN SAFE




Distressed Finish with Crane-hinge

- GRAPHIC INCLUDED Classic
- AR500 STEEL LINER 3/16"
- PULL HANDLE Optional
- LIGHTS Included
- DEHUMIDIFIER Included
- CORNER BOLTS Included
- LIMITED LIFETIME WARRANTY Included

Size	Depth	Volume	Weight	Bolts
6031	27"/30"	28 ft ³	1,508 lbs.	18
6637	27"/30"	36 ft ³	1,869 lbs.	20
7241	27"/30"	45 ft ³	2,231 lbs.	22
7251	27"/30"	57 ft ³	2,659 lbs.	22
7261	27"/30"	69 ft ³	2,834 lbs.	22
7251XD	40"/43"	85 ft ³	3,632 lbs.	22
7261XD	40"/43"	100 ft ³	3,872 lbs.	22



GUARDIAN SAFE




Cement Finish

- GRAPHIC INCLUDED Classic
- INNER STEEL LINER 10GA Included
- LIGHTS Included
- CORNER BOLTS Included
- PULL HANDLE Optional
- DEHUMIDIFIER Optional
- LIMITED LIFETIME WARRANTY Included

Size	Depth	Volume	Weight	Bolts
6031	27"/30"	28 ft ³	1,298 lbs.	18
6637	27"/30"	36 ft ³	1,634 lbs.	20
7241	27"/30"	45 ft ³	1,951 lbs.	22
7251	27"/30"	57 ft ³	2,201 lbs.	22
7261	27"/30"	69 ft ³	2,351 lbs.	22
7251XD	40"/43"	85 ft ³	3,005 lbs.	22
7261XD	40"/43"	100 ft ³	3,210 lbs.	22

LEGEND SAFE




Brilliant White Finish & Double Diamond Graphics

- GRAPHIC INCLUDED Classic
- AR500 STEEL LINER 3/16"
- STAINLESS STEEL LINER 10GA
- VISIBLE GEAR SYSTEM Included
- GLASS BACKPANEL Included
- LIGHTS Included
- CORNER BOLTS Included
- LIMITED LIFETIME WARRANTY Included

Size	Depth	Volume	Weight	Bolts
6637	27"/30"	36 ft ³	2,313 lbs.	26
7241	27"/30"	45 ft ³	2,744 lbs.	28
7251	27"/30"	57 ft ³	3,056 lbs.	28
7261	27"/30"	69 ft ³	3,316 lbs.	28
7251XD	40"/43"	85 ft ³	4,177 lbs.	28
7261XD	40"/43"	100 ft ³	4,533 lbs.	28

HOME SAFES



*Home Safe | 6031
Optional Watch Winders*

- GRAPHIC INCLUDED.....Home Safe Logo
- CABINET.....Included
- FELT DRAWER INSERTS.....Included
- HINGE.....External Only
- LIGHTS.....Included
- MIRROR BACK PANEL.....Included
- FIRE PROTECTION.....RFL Included
- LIMITED LIFETIME WARRANTY.....Included

Model	Liners	Depth	Volume	Weight	Bolts
Marquise 4026	N/A	20"/23"	10ft³	699 lbs.	11
Marquise 6026	N/A	20"/23"	16ft³	934 lbs.	11
Marquise 6031	N/A	27"/30"	28 ft³	1,287 lbs.	11
Legacy 4026	AR500 Steel	20"/23"	10ft³	912 lbs.	11
Legacy 6026	AR500 Steel	20"/23"	16ft³	1,229 lbs.	11
Legacy 6031	AR500 Steel	27"/30"	28 ft³	1,689 lbs.	11
Treasury 4026	AR500 + Stainless	20"/23"	10ft³	1,049 lbs.	11
Treasury 6026	AR500 + Stainless	20"/23"	16ft³	1,428 lbs.	11
Treasury 6031	AR500 + Stainless	27"/30"	28 ft³	1,952 lbs.	11



VAULT DOOR: IN OR OUT-SWING




*Distressed Finish, In-Swing with
Left-Swing Faux Crane-Hinge*

- AR500 STEEL.....Optional
- STAINLESS STEEL.....Optional
- PULL HANDLE.....Included
- HINGE PLACEMENT.....Left or Right
- SWING.....In or Out
- LIMITED LIFETIME WARRANTY.....Included

VAULT DOOR SPECS				
Size	Rough Opening	H x W INCLUDING FRAME	Weight	Bolts
8240	82"x 40"	85"x 45"	1,310 Lbs.	19 IN/24OUT
8248	82"x 48"	85"x 56"	1,580 Lbs.	19 IN/24OUT
9640	96"x 40"	99" x 45"	1,525 Lbs.	23 IN/26OUT
9648	96"x 48"	99" x 56"	1,840 Lbs.	23 IN/26OUT


VAULT DOOR FAQ'S

ATTENTION: Accurate measurements of the rough opening, wall thickness, and face frame clearance are the customer's responsibility to ensure a secure fit and maximum protection. Replacement parts due to incorrect measurements will incur additional charges.




ROUGH OPENINGS MEASUREMENTS		
Size	HEIGHT	WIDTH
8240	82"	40"
8248	82"	48"
9640	96"	40"
9648	96"	48"

OUT-SWING HINGES



IN-SWING HINGES



1. ROUGH OPENING

- Measure Height & Width of the Rough Opening.
- For Maximum Security and Fire Protection mount door directly to concrete wall.
- Remove wood framing and imperfections, leave smooth concrete only.

2. WALL THICKNESS

- Measure the wall thickness of concrete alone.
- Measure in 3 places to ensure accuracy.
- Generally measurement will be between 6-12"
- Round measurement to nearest inch.

3. FACE FRAME

- Vault Door frame will clamp directly to concrete.
- Leave at least 4" clearance around rough opening.
- Clear both sides of rough opening, inside and out.

4. IN-SWING VS OUT-SWING

- The In-Swing door (internal hinge) ensures functionality if blocked from the outside, ideal for storm shelters or panic rooms.
- Out-Swing (external hinge) offers 180° door swing radius which benefits those with limited vault room space.
- For maximum security and fire protection clamp the Vault Door frame directly to the concrete.
- *Custom sizes available*

VAULT DOOR RESOURCES:

- INSTALLATION VIDEO
- VAULT DOOR PREPARATION
- VAULT DOOR SPEC SHEETS



BUILD YOURS TODAY AT FTKNOX.COM



SAFE MODEL	SPARTAN	MAVERICK	DEFENDER	PROTECTOR	EXECUTIVE	GUARDIAN	TITAN	LEGEND	HOME SAFES	VAULT DOOR IN-SWING	VAULT DOOR OUT-SWING
FIRE PROTECTION	1,500°F IN 1 HOUR	1,600°F IN 1.5 HOURS	1,700°F IN 2 HOURS	1,800°F IN 2.5 HOURS	N/A	N/A					
OVERALL BODY STEEL THICKNESS	3/16"	10GA	10GA	3/16"	1/4"	5/16"	3/8"	1/2"	3/16"	3/16"	3/16"
DOOR EDGE STEEL THICKNESS	3/8"	3/8"	1/2"	1/2"	5/8"	5/8"	3/4"	1"	1/2"	5/8"	5/8"
LOCKING BOLTS	11-13	9-11	11-13	11-13	11-13	18-22	18-22	28	11	19-23	24-26
STAINLESS STEEL LINER	N/A	Optional	Optional	Optional	Optional	Optional	Optional	Included	Optional	Optional	Optional
AR500 STEEL LINER	N/A	Optional	Optional	Optional	Optional	Optional	Included	Included	Optional	Optional	Optional
CARBON STEEL LINER	Optional	Optional	Optional	Optional	Optional	10GA	Optional	Optional	Optional	Optional	Optional
CORNER BOLTS	N/A	N/A	Bundle	Bundle	Bundle	Included	Included	Included	N/A	N/A	Included
DOOR ORGANIZER	Bundle	Bundle	Included	Included	Included	Included	Included	N/A	Mirror/Jewelry Hangers	N/A	N/A
LIGHTS	Bundle	Bundle	Bundle	Bundle	Bundle	Included	Included	Included	Included	N/A	N/A
DEHUMIDIFIER	Bundle	Bundle	Bundle	Bundle	Bundle	Optional	Included	Included	Optional	N/A	N/A
PULL HANDLE	Bundle	Bundle	Bundle	Bundle	Bundle	Optional	Optional	Optional	Optional	Included	Included
HINGE CAPS	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included
<i>LIMITED LIFETIME WARRANTY</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>	<i>Included</i>



SCAN & BUILD

800.821.5216 | FTKNOX.COM

Copyright 2026 Fort Knox Inc. All Rights Reserved

V1.26